

ICCP v3.1.0.29 User Manual

Imbio Core Computing Platform (ICCP)

🔲 ımbıo

Languages	4
User Interface	4
Access To the Portal	4
Default User Roles & Permissions	4
Clinical User	4
GroupAdmin	5
Reviewer	5
Features of Imbio Portal	5
Job creation	5
Through Portal	5
Deidentify PHI	6
DICOM Push via PACS or CT Scanner	8
Downloading data from jobs	8
Download Input Series	8
Download Algorithm Outputs	8
Download Single CSV Report	8
Download Aggregated CSV Report	9
Download PDF Report	9
Check job info	9
Reset Password	10
Forgot Password	10
Request support from Imbio Staff	11
Filtering jobs	12
Filter by date	13
Table filter	13
Content Filter	13
Search for job(s)	13
Edit segmentation	13
Deleting jobs	14

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405

User Management	14
Add user	14
Delete user	16
Modify user	16
Edit Skins	16
Check Statistics	17
Internet Explorer 11 Limitation	17
Folder upload	17
On-Premise Installation	18
Hardware Requirements	18
CCP Core VM Requirements	18
CCP Compute VM Requirements (Only needed for Enterprise installations)	18
Firewall Requirements	18
Egress Rules	19
Ingress Rules	19
Network Service Requirements	19
Installation Steps	19
Overview	19
Installation of Imbio CCP Core	20
Installation of Imbio CCP Compute	20

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Languages

If a French translation of this user manual is required by Health practitioner from Canada, Imbio shall provide it within 30 business days.

User Interface

The user interface (also known as the portal) is used to perform various tasks related to the job life cycle for data processed by the platform.

Access To the Portal

The portal can be accessed from your browser. For the correct URL please check the Quick Tech Guide or the email you received from Imbio Support.

When you log in for the first time, you will be prompted to update your password and accept the terms and conditions.

Default User Roles & Permissions

Clinical User

Users with Clinical User access level can:

- Create jobs
- Deidentify PHI for jobs
- Download input for jobs
- Download output for jobs
- Download single CSV for a job
- Download an aggregated CSV report for many jobs
- Download the PDF reports for jobs
- Edit segmentation for jobs (if compatible with the algorithm)
- Filter jobs
- Check additional info about the job
- Reset password
- Contact Imbio support for help

Additional menu items are view only.

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



GroupAdmin

Users with Group Admin user access level can:

- Perform all functions available to the Clinical User
- Edit users in group
- Edit Skins
- Review group statistics

Additional tabs are view only

Reviewer

Users with Reviewer access level can see jobs in the 'Ready for Review' status. Jobs in this status will not be visible to clinical users until the review process has been completed. For this Click the pencil icon to open the job output with the editor attached to the software. See SET user manual for more details on its uses. Once the job is reviewed a new job will be started with the output of this job. The result of this will be visible to the clinical users.

Features of Imbio Portal

Job creation

All users have access to this feature

Through Portal

Uploading a job through the Portal is done by clicking the CREATE JOB icon on the jobs page.



This will pop-up a new dialogue box where the parameters and job images can be uploaded.



Job Name *	
Example	
Only '-', '_' and alphanumeric characters characters.	are allowed for the job name. The maximum length is 4
Groups *	
imbio	~
Algorithm * LDA Inspiration 2.7.1	· · ·
nput DICOM Series *	
LDA Inspiration requires a single inspira	stery sheet CT
	atory chest CT.
• [less than or equal sign] 3.0 mm	slice thickness
	slice thickness
• [less than or equal sign] 3.0 mm	slice thickness
 [less than or equal sign] 3.0 mm Standard or Soft kernel reconstr Drag and drop or click to	slice thickness uction
 [less than or equal sign] 3.0 mm Standard or Soft kernel reconstr Drag and drop or click to select a folder or a *.zip file containing a single	slice thickness uction Inspiration DICOM Series
 [less than or equal sign] 3.0 mm Standard or Soft kernel reconstr Drag and drop or click to select a folder or a *.zip	Slice thickness uction Inspiration DICOM Series Upload new input series or click below
 [less than or equal sign] 3.0 mm Standard or Soft kernel reconstr Drag and drop or click to select a folder or a *.zip file containing a single	Slice thickness uction Inspiration DICOM Series Upload new input series or click below
 [less than or equal sign] 3.0 mm Standard or Soft kernel reconstr Drag and drop or click to select a folder or a *.zip file containing a single	Slice thickness uction Inspiration DICOM Series Upload new input series or click below
 [less than or equal sign] 3.0 mm Standard or Soft kernel reconstr Drag and drop or click to select a folder or a *.zip file containing a single	Slice thickness uction Inspiration DICOM Series Upload new input series or click below
 [less than or equal sign] 3.0 mm Standard or Soft kernel reconstr Drag and drop or click to select a folder or a *.zip file containing a single	Slice thickness uction Inspiration DICOM Series Upload new input series or click below

Insert the desired name (whitespaces and special characters not allowed, replace whitespaces with '-' or '_'), select the algorithm and upload the images series and then click Submit. Once you have uploaded an image series it can be processed again without uploading a second time using the SELECT PRIOR.

Deidentify PHI

If you do not wish PHI to be visible in the output of the results, then check the Deidentify box (found below the drag and drop square). This will fill PHI values with random characters. Note, if your institution has mandated that data be deidentified, deidentification will be performed automatically.

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Create New Job

characters.	s are allowed for the job name. The maximum length is 40
Groups *	
mbio	\sim
A 1	
Algorithm * LDA Inspiration 2.7.1	~
nput DICOM Series *	
 [less than or equal sign] 3.0 mm Standard or Soft kernel reconst Drag and drop or click to select a folder or a *.zip file containing a single input DICOM series	

When the job has finished process and the status is in the COMPLETE or finished you can interact with the job in different ways:

- Download the input
- Download the csv output
- Download the pdf report

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



DICOM Push via PACS or CT Scanner

This feature is only available for Enterprise and Bridge + Cloud installations.

DICOM data can be automatically or manually pushed to ICCP via a DICOM send protocol. The new job will automatically be started with no additional user interaction required via the portal interface. Refer to the Quick Reference Guide provided by Imbio Support for the specific algorithm AETitle, IP and Port. Jobs sent directly from the scanner or pushed from PACS will be displayed via the interface and the job status will be shown in the Imbio portal. When it is finished you can interact with the job in different ways:

- Download the input series
- Download the algorithm outputs
- Download the csv output
- Download the pdf report
- Edit the segmentation

Additionally, if configured to, results will be pushed to a DICOM location (e.g. PACS). Reference the Quick Reference Guide for more information.

Downloading data from jobs

All available actions that can be performed on a job can be found in the Actions column.

🖸 🗟 🖪 🗗 🖶 面

Download Input Series

The icon for downloading the input series: ¹² This will use your browser's settings for download prompt/location.

Download Algorithm Outputs

The icon for downloading the algorithm output:

Download Single CSV Report

The icon for downloading the csv report:

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Download Aggregated CSV Report

The icon for downloading the aggregated csv report:

l impio							SUPPORT DDCS
ź≣ Jobs	Job List						CREATE JOR AGGREGATE CSV
🛟 Algorithms							Q III \Xi 🛅
🌽 Profiles	Job Name	Patient Name	Group	Status	Created 4	Algorithm	Actions
	Demo_Job_2 No Accesson Num.	100050_NJC_COPD ID: 100050_NJC_COPD D08: Unknown	Manual demo	O Complete	Today, 11:13:02 AM	Lung Texture Analysis 1.4.1	5 5 0 5 B
	Demo_job_1 No Accession Num.	100050_NJC_COPD ID: 100050_NJC_COPD D08: Unknown	Manual demo	📀 Complete	Today, 10:39:08 AM	Dummy Algorithm 2.0	0 -ā
							Rows per page: 10 • 1.2 of 2 < >

This will create a report of all jobs matching the filter criteria. To change the number or type of jobs in the csv report, use the filter.

Download PDF Report

The icon for downloading the PDF report: This will use your browser's settings for download prompt/location.

Check job info

The icon for getting more information about the job: ¹ This will redirect you to the job details page.

🔲 imbio			SUPPORT DOCS CIGER MANUAL DEMO
f⊟ Jobs	Demo_Job_2		BACK
Algorithms	Lung Texture Analysis 1.4.1		
_			
🔑 Profiles	Job Info		
	STATUS:	complete	
	GROUP:	Manual demo	
	OWNER ID:	5	
	PROFILE:		
	CREATED AT:	Today, 11:13:02 AM	
	MODIFIED AT:		
	COMPLETED AT:	Today, 11:15:16 AM	
	ALGORITHM RETURN CODE: ALGORITHM STD ERR:	E 0	
	ACOUNT HW STUERS.		
		a Jarmana Jarmana Ingo Tang Jarma, Jarma Salasha Zang Jarmana	
	ALGORITHM STD OUT:		
	2019-10-14T11:14:52.45	458234636Z Read Time : 0.306663 seconds	*
	2019-10-14T11:14:56.69		
		6931097372 CALIPER processing time : 4.541568	
	2019-10-14T11:15:12.73	733458842 Segmentation and Classification Complete	-
	SHELL COMMAND: ARGUMENTS: ERROR MESSAGE:	nu.Ne.xC.jops - 551 - aut-guo location nu	
	EXPORTED TO SEGMENTATIO	Tion (prior) No	
	Study		
	ID:	245	
	STUDY DATE:	1///1900 12:00:00 AM	
	PATIENT NAME:	100050_NJC_COPD	
	PATIENT AGE:	54	
	PATIENT SEX:		
	ACCESSION NUMBER:		

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Reset Password

All users have access to this feature.

Your password can be reset at any time by clicking your username on the top right hand corner and selecting profile

🚺 ımbıo	
f⊟ Jobs	Vor pole
🛟 Algorithms	nor- Dor Maai
🔑 Profiles	nor / nanadamojinto com
	OWNER IN PARIMON

After clicking 'Change my Password' you will see the following pop-up screen


Password Change

For your security, you have to change your password.

Your curent password * New Password * Set the new password you have choosen. You have to type it twice to avoid typo issues. You can verify that your password are in compliance with the password rules below the password fields	Passwor	rd		
Set the new password you have choosen. You have to type it twice to avoid typo issues. You can verify that your password are in compliance with the password rules below the password fields.	Your c	urent password		6
Set the new password you have choosen. You have to type it twice to avoid typo issues. You can verify that your password are in compliance with the password rules below the password fields.				
Set the new password you have choosen. You have to type it twice to avoid typo issues. You can verify that your password are in compliance with the password rules below the password fields.				
Set the new password you have choosen. You have to type it twice to avoid typo issues. You can verify that your password are in compliance with the password rules below the password fields.				
verify that your password are in compliance with the password rules below the password fields.				
			0	-
Retype your password 🛛 🧿 🧿			(a)	Ο
Retype your password 💿 💿				
	Retype	e your password	٩	Ο
	×.	Minimum password length		
✓ Lower case letter	Č.	Upper case letter		
	**			
 Lower case letter Upper case letter 	*			
 Lower case letter Upper case letter 	*			



Enter your current password and then your newly desired password. The checkbox at the bottom shows if a when you have given a password of sufficient strength.



Forgot Password

All users have access to this feature

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



If you have forgot your password click the forgot password link on the login page

Login

×

– Email address * –		
admin@imbio.	com	
– Password * ––––		
•••••		
Required	Contact support	
	I FORGOT MY PASSWORD	LOGIN

This will show a dialogue box that will ask for your email address. Give your email address used for ICCP and an automated email will be sent with password reset options.

Request support from Imbio Staff

All users have access to this feature.

If you have any questions that were not answered in this manual, Imbio support will be happy to help out. They can be contacted from the Portal, by clicking the support menu located in the top right hand corner

I imbio							¢	
f⊞ Jobs	Job List							CREATE JOB ADDREGATE CS
Algorithms								오 💷 👳 🛅
🔑 Profiles	Job Name	Patient Name	Group	Status	Created 4	Algorithm	Actions	
	Demo_Job_2 No Accesson Num.	100650_NJC_COPD ID: 100050_NJC_COPD D0B: Unknown	Manual demo	O Complete	Today, 11:13:02 AM	Lung Texture Analysis 1.4.1		5 5 6 5 5
	Demo_job_1 No Accesson Num.	100050_NJC_COPD ID: 100050_NJC_COPD DOII: Unknown	Manual demo	Ocampiete	Today, 10:39:08 AM	2.0 Dummy Algorithm		0 5
							Rows per pag	e: 10.₩ 1-2.of 2 < >

This will redirect you to the official Imbio support page.



WE'RE HERE TO HELP

Your satisfaction with Imbio and our solutions is a priority for us. Please initiate a support case using the form on this page. You will receive an automatic email confirmation with your case number and an Imbio support team member will contact you shortly.

SUPPORT HOURS

8:00 AM – 6:00 PM CST (GMT -5:00) Although we recommend using our online case submission, you can also reach imbio support by phone or email.

PHONE SUPPORT

U.S. Support Line:+1 612-520-7360 Toll Free Number:+1 844-247-4458

EMAIL SUPPORT

SUPPORT@IMBIO.COM

User Manuals and Bibliography

Company		
Email		
Phone		
Support Needed:		
None		•
Description		
l'm not a robot	reCAPTCHA Privacy - Terms	

Filtering jobs

All users have access to this feature.

...



All filter options can be located in the upper right side of the UI

SUPPORT DOCS COMMINIAL DEMO							l impio
CREATE JOB AGGREGATE CSV						Job List	f⊟ Jobs
Q. III 😤 🛅							Algorithms
Actions	Algorithm	Created ψ	Status	Group	Patient Name	Job Nome	🔑 Profiles
5 5 0 5 B	Lung Texture Analysis 1.4.1	Today, 11:13:02 AM	📀 Complete	Manual demo	10009Q_NJC_COPD ID: 1000SQ_NJC_COPD DOB: Unknown	Demo_Job_2 No Accesson Num.	
0-5	2.0 Dummy.Algorithm	Today, 10:39:08 AM	📀 Complete	Manual demo	10005Q_NJC_COPD ID: 10005Q_NJC_COPD DOB: Unknown	Demo, job, 1 No Accesson Num.	
Rows per page: 10 + 1-2 of 2 < >							

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Filtering jobs has 3 main options:

- Filter by date
- Listed columns in the UI
- Filter by content

Filter by date

The icon for filtering by date: Once the filter is set only the jobs created between the set intervals will be displayed.

Table filter

The icon for filtering job detail level:

This will display all available options. Click the desired checkboxes to add/remove the selected columns.

Content Filter

The icon for filtering by content:

This will display all available options. Select the desired values, multiple can be chosen. Only results with the selected values will be displayed. If multiple are selected values only jobs with all selected values are visible in the UI.

Search for job(s)

The icon for searching for jobs: \bigcirc

The filter can be used for job name, accession number or patient name.

Searching for the job name will result in a single job displayed, however searching by accession number or patient name can return multiple records.

Edit segmentation

Reviewers have access to this feature.

The icon for editing the segmentation: \square

Click <u>here</u> for the segmentation editor tools user manual for detailed instructions on using the tool.

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Deleting jobs

GroupAdmin has access to this feature.

The icon for deleting the PHI of a job:

Clicking this icon will prompt a warning that must be accepted. This action will not remove the record from the user interface, but all personal health information and assets linking the job of the specific patient will be removed. Deleting one job will delete all jobs with that specific patient.

User Management

GroupAdmins have access to this feature.

User management is done in the users tab found on the left side of the UI. User management can only be done to users that are in your group.

mbio						
user User	List				ADD USER	No user selected
orithms					۹ 🖬	
lies Name		Erral	Roles	Groups Actions		
S User Mr	Annual	manualdemo@imbio.com	CiricalJoer	Menual demo	2, 2-	
manual	aladmin	manualadmin@imbio.com	GroupAdmin	Monual demo	2/2-	
				Rows per page: 10 -	12072 < >	

Add user

To create a new user click the button labeled add user. This will pop-up a new window



	first log ick "g				
, you have to ed after the fi e right side. Word or cli num passwo r case letter r case letter	first log ick "g	in by the user. Enter a pi enerate"			he
ed after the fi e right side. Word or cli num passwo r case letter r case letter	first log ick "g	in by the user. Enter a pi enerate"			he
num passwo r case letter r case letter	ord len			* ; ;	
r case letter r case letter		gth			
he User 🗕					
ng		Can see jobs waiting for review		Can modify skins	
atient		Create user		Delete user	
r		View user		Change user password	
ob		Edit job		View jobs	
		Edit algorithm and profile		View algorithm and profile	
0		Add credits to groups			
	ing patient er ob algorithm file algorithm file	ing patient er ob algorithm file	ing waiting for review batient Create user er View user ob Edit job algorithm Edit algorithm and profile algorithm Add credits to	ing waiting for review batient Create user vr View user algorithm Edit algorithm file Add credits to	ing waiting for review Can modify skins patient Create user Delete user er View user Change user password ob Edit job View jobs algorithm Edit algorithm file Add credits to

Fill in all needed information (ones shown with a star are required for the form to be accepted) and click submit. New users will be prompted to change their passwords on first login. The email address is used as the username for the Imbio Portal.

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Delete user

The icon for deleting a user:

This is found next to each user. Multiple deletion is not permitted on the portal. After clicking the icon a prompt will appear with a warning.

Modify user

The icon for modifying a user: **Provide State** Modify a user to change their role/name.

Edit Skins

GroupAdmins have access to this feature. All options can be done individually if needed.

1. Click the Skins menu

		SUPPORT DOCS COMMINUSER
		•
f≣ Jobs	Theme Editor	
C Algorithms	Palette	
🖋 Profiles	Primary color	¥
🛠 Roles	Secondary color	¥
💄 Users	See Error color	×
🚉 Groups	Images	
P Skin		Choose an image
		Choose an image
	RESTORE DEFAULTS RESET SAVE	
	the colouring to the desired Colours	

- 2. Change the colouring to the desired Scheme
- 3. Change the logo for the UI (Upper logo menu)
- 4. Change the report log (Lower logo menu)

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Check Statistics

GroupAdmins have access to this feature

- 1. Click the groups menu
- 2. Click the statistics icon on the right side of the desired group to view statistics \mathbf{k}

Internet Explorer 11 Limitation

Folder upload

Uploading a folder is not possible with IE11. To upload multiple slices, navigate inside the folder and select all slices and drag and drop or upload to have the slices visible to ICCP. Alternatively you can use zip files containing the slices instead.



On-Premise Installation

The hardware specifications below will provide enough resources to run a single algorithm at a time. If additional jobs are submitted while one is running, those jobs will be queued. If a customer requires a higher number of concurrent jobs, additional VMs will need to be obtained.

The application is deployed as two or more VMware vSphere-compatible OVA "appliance" files, one "core" VM, which provides Imbio's core automation functions and one or more "compute" VMs, on which the actual image processing is performed.

Hardware Requirements

Imbio Core Computing Platform (ICCP) is deployed into a VMware vSphere environment. As such, all of the below hardware specifications assume that they are assigned to the ESXi guests, and are reserved for their use.

CCP Core VM Requirements

- Quad-core, 64-bit capable CPU, 2.0GHz minimum
- 32GB RAM
- 200GB Disk Storage minimum (more may be required depending on usage¹)
- 1 GigE Virtual NIC

CCP Compute VM Requirements (Only needed for Enterprise installations)

- Quad-core, 64-bit capable CPU, 2.0GHz minimum
- 32GB RAM (more may be needed depending on use case and algorithms needed)
- 200GB Disk Storage
- 1 GigE Virtual NIC

Firewall Requirements

These firewall rules (if required by customer's network policy) need to be applied to the customer's network equipment. It is assumed that the core and compute VMs reside on the same layer 2 network and as such, have no restrictions on communication between them. If this is not the case, please contact Imbio support.

¹ Dependent on volume and SET configuration

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



Egress Rules

- 443/tcp to mc.scripzo.com (Package and license updates)
- 443/tcp to sumologic.com (logging manager)
- 123/udp and 123/tcp to local NTP server
- 53/udp and 53/tcp to local DNS resolvers
- 80/tcp and 443/tcp to *.imbio.com (operating system updates)
- 80/tcp and 443/tcp to mirrors.syringanetworks.net
- 443/tcp to s3.amazonaws.com
- 443/tcp to scripzo-mission-control.s3.amazonaws.com
- 80/tcp and 443/tcp to *.ecr.us-east-1.amazonaws.com (container registry)
- Misc. ports as needed for DICOM network transfers

Ingress Rules

- 8443/tcp from administrative subnet (Imbio CCP management interface)
- Misc. ports as needed for DICOM network transfers

Network Service Requirements

- DNS resolvers
- NTP Server or Servers (if these cannot be provided, then Imbio CCP will require access to a set of external NTP servers)
- 1 static IPv4 address for each VM (1 for CCP Core and 1 each for CCP Compute instances)
- A VPN tunnel to the Imbio Core server and Imbio Compute servers.

Installation Steps

Overview

The installation of Imbio CCP involves downloading the Imbio CCP OVA. Imbio support will work with you to either provide download links for the OVA images or upload them to a customer-owned file transfer service.

Generally speaking, both components (CCP Core and CCP Compute) follow a similar installation path:

- 1. Download and import the OVA into the vSphere environment. This will be the Core VM.
- 2. Clone the instance once; this will be the first Compute VM.
- 3. Add DHCP reservation(s) for the two VMs.
- 4. Power on each instance.

Imbio Document Number: DES-7190 Rev B 1015 Glenwood, Floor 4, Minneapolis, MN 55405



- 5. Grant remote access to the Imbio support team for completion of installation by setting up VPN access to the machine.
- 6. Imbio support staff will complete the installation.

Installation of Imbio CCP Core

The Imbio CCP Core service needs to be installed first. The process is as follows:

- 1. Import the Imbio CCP OVA.
- 2. Create a DHCP reservation for Imbio Core's MAC address.
- 3. Power on Imbio Core VM. The IP address is printed to the console's login screen after boot up. Inspect the console output to verify that the correct IP address is assigned.
- 4. Grant Imbio support VPN access to the machine.
- 5. Imbio support will finish the configuration.

Imbio Core is now configured. Proceed to "Installation of Imbio Compute" to complete the installation.

Installation of Imbio CCP Compute

Your site may be licensed for a number of Imbio CCP Compute instances. The configuration of the Imbio Compute software is identical on all instances. The installation procedure involves installing and validating the first instance, then cloning to the licensed number instances.

- 1. Clone the Imbio CCP Core VM.
- 2. Create a DHCP reservation for Imbio Compute's MAC address.
- 3. Power on Imbio Compute VM. The IP address is printed to the console's login screen after boot up. Inspect the console output to verify that the correct IP address is assigned.
- 4. Grant Imbio support VPN access to the machine.
- 5. Imbio support staff will finish the configuration.

If multiple compute instances are warranted in this installation, the CCP Compute VM can be shut down at this point, and cloned as many times as needed. Steps 2-4 above will need to be completed for each CCP Compute VM.

At this point, Imbio support will validate that the CCP application is fully functional and will work with you to ensure proper integration with your existing DICOM tools.